

			PHD-38, PHD-3800, PHD-3800M, OhD-4000R, OhD-4000M
		NO.	
(/)			1

- 가
- 1 A/S
- 1
- A/S

■ (/) 0.2mm()

(.)

■



1.		
2.		()
3.	()	()

KEYANG
계양전기주식회사
KEYANG ELECTRIC MACHINERY CO., LTD.
823-2 TEL: (031)490-3000 FAX: (031)490-3019

- : (02)757-8143 ~ 4 • : (031)490-3022
- : (053)253-8141 • : (051)319-0981 ~ 3
- : (042)632-8141, 3 • : (062)511-5385 ~ 6
- : (033)745-8141

1588-0666	080-023-8204
가	080-545-0989


2004.02.28



PHD-38
PHD-3800
PHD-3800M
OhD-4000R
OhD-4000M



계양전기주식회사
KEYANG ELECTRIC MACHINERY CO., LTD.



1.		3
2.		7
3.		9
4.		13
5.		14
6.		16
7.		17
8.		18
*		20

가



1.
2.
3. 가 가
4. (, , 가 ,)
5. 가
6.
7.
8. 가
9. 가
10.
11.

12.

13.

14.

15.

16.

17.


18.

19.

20.

21.

4





- , 가 , 가 .
- 가 .

- !**
- (가)
 - 가
 - 가
 - 가
 - 가

- 가
- 가
- (PHD-38)
(PHD-38)
- (PHD-38)
2
- (PHD-3800, PHD-3800M, OhD-4000R, OhD-4000M)
(Grease)
6
6
- A/S ()

1.

가 가
(15mA) , 0.1 (Earth) 가



2.

110V		220V	
0.75mm ²	20m	0.75mm ²	40m
1.25mm ²	30m	1.25mm ²	60m
2mm ²	50m	2.3mm ²	100m

가 가
가 가



가 3

3.

가 가

4.

가 . 110V 가 220V 가 .



110V 220V 가 .

5.



가 가 .

가

3

1.

	PHD-38	PHD-3800	PHD-3800M	OhD-4000R	OhD-4000M
	60 Hz 110 V 220 V(.)				
	38 mm	38 mm	40 mm		
	105 mm	105 mm	118 mm		
	1050W	1050W	1200W		
	n ₀ 400 /	n ₀ 350 /	n ₀ 290 /		
	3000 spm	3100 spm	3000 spm		
(,)	7.5 kg	7.2 kg	7.4 kg	7.9 kg	7.4 kg
	3	2			

2.

	PHD-38	PHD-3800	PHD-3800M	OhD-4000R	OhD-4000M
	晨	晨	晨	晨	晨
	晨	晨	晨	晨	晨
	一	一	晨	晨	晨
(100cc)	晨	一	一	一	一
L (5 m m)	晨	晨	晨	晨	晨
	晨	一	一	一	一
(φ17.5×320mm)	晨	晨	晨	晨	晨
	晨	晨	晨	晨	晨
	一	晨	一	一	一
(17×280)	一	一	晨	晨	晨

3. ()

1) (+)



	()	()
	280, 505mm	280, 505mm
	28, 32, 38mm	28, 32, 38mm




2) (+)



	()	
NO.1	11, 12, *14.3, 14.5, 17.5mm	11, 12, 14.3, 14.5, 17.5mm
NO.2	21.5mm	21.5mm

3) (+)



(1) - : 32, 35mm
 - : 38, 45, 54, 64, 79, 94, 105mm

(2) 가 - , 가 25, 29mm
 - , 가 25, 29mm

(3) - : 25, 29, 32, 35, 38

45, 54, 64, 79, 94, 105mm

(4) - : 25, 29, 32, 35, 38mm


- : 38, 45, 54, 64, 79, 94, 105mm

- +


No20 W1/4 No25 W5/16 No30 W3/8

No40 W1/2 No50 W5/8

4) ()




5) ()



6) ()



7) ()



8) . ()



9) $\begin{pmatrix} & \\ S & \end{pmatrix} \begin{pmatrix} & \\ & S \end{pmatrix}$



10) ()




11) Syringe()


4

1.


■ PHD-38




■ PHD-3800



■ PHD-3800M



■ OhD-4000R




- OhD-4000M



2.

[illegible]



- 1.
- 1.
- (1)
- (2)





- 2.
- (+)
- (1)
- (2)
- 가



- 3.
- ()



- 1.
- (PHD-38, PHD-3800, OhD-4000R)



- 2.
- SDS-MAX (PHD-3800M, OhD-4000M)




가



- 5.
- /
- (SDS-MAX)

16



22.5°

가


가

가



- 1.
- (1)
- (2)

大



- (3) 가
- 가

大



- 2.
- (1)
- (2)

가

1. (Model : PHD-3800, PHD-3800M, OhD-4000R, OhD-4000M)

가

- - (1)
 - (2)
 - ()
 - A/S
- 6

가




- (1)
- (2) 30g(50g (2/3)
- (3)



2. (Model : PHD-38)




가 1 3~4 20



Shell
(Engine Oil)
가

40
가

3. (Model : PHD-38)



(2)

가
20

가
2

()

8



1. ()

2.

가


가

3.

) 가 (

4.

가 (6mm) 가



A/S

가

5.



가

50

가

6.

7. 가

A/S (가)

가